



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc., has assessed the Laboratory of:

***MTEC Mechanical Testing Services, Inc.
8676 Taub Road
Houston, TX 77064***

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2005

*This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system
(As outlined by the joint ISO/ILAC/IAF Communiqué dated January 2009):*

***Mechanical and Chemical Testing
(As detailed in the supplement)***

Such testing and/or calibration services shall only be offered at or from the address given above. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President/Operations Manager

Initial Accreditation Date:
July 5, 2011

Issue Date:
July 5, 2011

Accreditation No.:
70049

Certificate No.:
L11-113

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website www.pjllabs.com.



Certificate of Accreditation: Supplement

MTEC Mechanical Testing Services, Inc.

8676 Taub Road
Houston, TX 77064

Accreditation is granted to this facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT
Chemical	Carbon and Alloy Steel Products	Elemental Composition	ASTM E415	0.0001 % to 5 %
	Stainless Steel		ASTM E1086	0.0001 % to 25 %
Mechanical	Metallic Products	Tensile Strength Yield Strength Elongation	ASTM E8	Load Cells 215 lbf to 10 000 lbf 2370 lbf to 60 000 lbf 400 lbf to 200 000 lbf
		Hardness	ASTM E18	Rockwell B: 60 HRB to 100 HRB Rockwell C: 20 HRC to 70 HRC